


THE WORLD'S #1 BEST DRIP IRRIGATION PRODUCT NETAFIM IRRIGATION

TECHLINE DRIPPER OPERATION

Techline's Self-Cleaning, Pressure Compensating Dripper is a fully self-contained unit molded to the interior wall of the dripper tubing. Both tubing and dripper housing are manufactured from high-quality synthetic elastomers to withstand chemicals and fertilizers.

As shown at right, Techline is continuously self-cleaning during operation, not just at the beginning and end of a cycle. The result is dependable, clog-free operation, year after year.



1. Regulating mode
2. Initiation of flushing cycle
3. Flushing cycle
4. Regulating mode

NETAFIM LANDSCAPE & TURF TECHLINE® SUBSURFACE OR ON-SURFACE DRIPPERLINE

The world's most advanced continuous self-cleaning, pressure-compensating dripperline.



Applications

- Subsurface or on-surface installations
- Curved, angular or narrow-planting areas
- High traffic/high liability areas
- Areas subject to vandalism
- High wind areas
- Turf, shrubs, trees
- Slopes
- At-grade windows
- Sports turf


Features/Benefits

- Pressure compensating
- Efficient, short flow path
- Continuous self-cleaning design resists dogging
- Self-flushing/cleaning elastomer diaphragm
- Urethane design with physical root barrier helps prevent root intrusion
- Self-contained, one-piece construction assures reliability, easy installation
- 12", 18" or 24" dripper spacing and blank tubing available
- Flexible tubing adapts to any planting area shape
- UV resistant
- Labels on roll denote flow rate and spacing
- Tubing reliably marked with flow rate

Specifications

- Dripper flow rates: 0.4, 0.6 or 0.9 GPH
- Pressure compensation range: 7 to 70 psi (Stainless steel clamps recommended above 50 psi)
- Maximum recommended system pressure: 50 psi
- Tubing diameter: 0.66" OD, 0.56" ID
- Coil lengths: 100', 250', 1,000'
- Recommended filtration: 120 mesh
- Bending radius: 7"
- Tubing material: Linear low-density polyethylene

EXPLODED VIEW OF TECHLINE DRIPPER



TECHLINE DRIPPER OPERATION

Techline's Self-Cleaning, Pressure Compensating Dripper is a fully self-contained unit molded to the interior wall of the dripper tubing. Both tubing and dripper housing are manufactured from high-quality synthetic elastomers to withstand chemicals and fertilizers.

As shown at right, Techline is continuously self-cleaning during operation, not just at the beginning and end of a cycle. The result is dependable, clog-free operation, year after year.



NETAFIM USA
54701 Home Ave • Fresno, CA 93727
800.682.2814 • 559.435.6800
FAX: 800.695.4752
www.netafimusa.com

Netafim USA - Delivering Total System Solutions for Landscape

• Dripperlines • Drippers • Techfilter Systems • Filters • Valves • Controllers

